



The Handbook

Codex

http://codex.wordpress.org/Template_Tags/the_content_rss

Version Date

9 August 2005

Template Tags/the content rss

Description

Displays the content of the current post formatted for [RSS](#). This tag must be within [The_Loop](#).

This tag will display a "teaser" link to read more of a post, when on non-single/non-[permalink](#) post pages and the `<!--more-->` Quicktag is used.

Usage

```
<?php the_content_rss('more_link_text', strip_teaser,  
                      'more_file', cut, encode_html); ?>
```

Examples

Default Usage

Displays the content in RSS format using defaults.

```
<?php the_content_rss(); ?>
```

Hides Teaser Link and Limits Content

Displays the content in RSS format, hides the teaser link and cuts the content after 50 words.

```
<?php the_content_rss('', TRUE, '', 50); ?>
```

Parameters

`more_link_text`

(*string*) Link text to display for the "more" link. Defaults to ' (more...) '.

`strip_teaser`

(*boolean*) Should the "more" link be hidden (`TRUE`) or displayed (`FALSE`). Defaults to `FALSE`.

`more_file`

(*string*) File which the "more" link points to. Defaults to the current file.

`cut`

(*integer*) Number of words displayed before ending content. Default is 0 (display all).

`encode_html`

(*integer*) Defines html tag filtering and special character (e.g. '&') encoding. Options are:

- 0 - (Default) Parses out links for numbered "url footnotes".
- 1 - Filters through the [PHP](#) function htmlspecialchars(), but also sets cut to 0, so is not recommended when using the cut parameter.
- 2 - Strips html tags, and replaces '&' with [HTML](#) entity equivalent (&#amp;). This is the default when using the cut parameter.

Related

[the_ID](#), [the_title](#), [single_post_title](#), [the_title_rss](#), [the_content](#), **[the_content_rss](#)**,
[the_excerpt](#), [the_excerpt_rss](#), [previous_post](#), [next_post](#), [posts_nav_link](#), [the_meta](#)